

Select County-Level Estimates from 2014-2015 SC Adult Tobacco Survey

Division of Tobacco Prevention and Control
South Carolina Department of Health and Environment Control



Contents

Table 1.1. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County ^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	4
Table 1.2. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County ^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	5
Table 1.3. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County ^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	6
Table 1.4. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County ^a in the DHEC Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	7
Table 2.1. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County ^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.	8
Table 2.2. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County ^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.	9
Table 2.3. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County ^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.	10
Table 2.4. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County ^a in the DHEC Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.	11
Table 3.1. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County ^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	12
Table 3.2. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County ^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	13
Table 3.3. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County ^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.....	14
Table 3.4. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County ^a in the DHEC Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.	15
Table 4.1. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County ^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.	16

Table 4.2. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey. 17

Table 4.3. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey..... 18

Table 4.4. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey..... 19

Table 1.1. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Ever Use of Tobacco Products				Current Use of Tobacco Products			
	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes
Aiken	48.3%	29.4%	18.0%	15.7%	21.0%	3.7%	4.5%	10.2%
Barnwell	38.6%	26.8%	16.5%	4.1%	11.1%	0.7%	0.0%	0.1%
Chester	55.7%	36.8%	22.6%	21.7%	35.1%	5.2%	2.5%	10.8%
Edgefield	61.5%	36.8%	28.7%	13.3%	12.7%	7.2%	4.6%	4.2%
Fairfield	49.1%	42.4%	14.8%	15.5%	12.5%	12.4%	7.3%	0.0%
Kershaw	44.8%	40.9%	20.2%	25.6%	25.6%	7.0%	9.5%	4.4%
Lancaster	53.6%	35.5%	30.1%	9.8%	19.1%	3.2%	1.3%	2.0%
Lexington	64.3%	45.2%	26.4%	22.1%	26.4%	1.9%	1.1%	9.4%
Newberry	43.6%	29.3%	21.7%	7.2%	14.8%	3.7%	2.8%	3.0%
Richland	52.7%	35.2%	17.4%	11.6%	12.6%	2.6%	1.0%	4.2%
Saluda	67.5%	32.8%	24.2%	5.9%	19.5%	0.0%	3.2%	4.7%
York	52.3%	41.5%	29.3%	15.3%	20.3%	3.9%	1.6%	7.7%
State Highest	72.4%	55.1%	38.3%	30.2%	35.1%	21.4%	19.3%	17.4%
State Lowest	27.7%	14.0%	4.1%	4.1%	7.3%	0.0%	0.0%	0.0%
State Estimate^b	43.1%	38.2%	23.9%	16.2%	19.0%	4.7%	3.5%	6.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 1.2. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Ever Use of Tobacco Products				Current Use of Tobacco Products			
	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes
Abbeville	53.9%	40.8%	23.5%	9.6%	16.0%	10.3%	5.9%	8.7%
Anderson	46.0%	44.5%	29.3%	15.4%	16.9%	4.9%	6.8%	4.4%
Cherokee	38.4%	35.8%	31.3%	12.5%	21.8%	2.5%	9.5%	4.6%
Greenville	53.9%	38.6%	18.6%	18.3%	17.0%	6.5%	1.4%	8.0%
Greenwood	54.1%	24.8%	22.1%	14.2%	18.7%	6.3%	1.9%	4.7%
Laurens	54.3%	38.1%	25.0%	23.7%	28.7%	4.6%	3.3%	9.6%
McCormick	59.2%	27.5%	23.7%	10.3%	12.1%	0.0%	6.9%	7.2%
Oconee	60.4%	45.1%	35.1%	17.6%	16.4%	11.4%	6.1%	7.3%
Pickens	51.9%	39.7%	30.9%	12.7%	20.0%	10.2%	9.4%	3.8%
Spartanburg	49.4%	39.5%	30.2%	17.4%	18.0%	3.0%	7.6%	9.6%
Union	64.1%	31.3%	30.8%	6.1%	31.3%	13.6%	6.3%	2.4%
State Highest	72.4%	55.1%	38.3%	30.2%	35.1%	21.4%	19.3%	17.4%
State Lowest	27.7%	14.0%	4.1%	4.1%	7.3%	0.0%	0.0%	0.0%
State Estimate^b	43.1%	38.2%	23.9%	16.2%	19.0%	4.7%	3.5%	6.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 1.3. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Ever Use of Tobacco Products				Current Use of Tobacco Products			
	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes
Chesterfield	53.8%	39.4%	26.9%	19.6%	27.9%	7.3%	9.8%	4.7%
Clarendon	35.4%	24.8%	21.7%	7.0%	16.2%	3.7%	2.5%	3.8%
Darlington	72.4%	34.8%	25.4%	22.4%	24.4%	1.6%	3.9%	3.4%
Dillon	65.4%	25.6%	38.3%	7.5%	22.3%	0.0%	19.3%	4.4%
Florence	57.0%	42.6%	25.9%	20.4%	25.3%	7.5%	3.2%	4.3%
Georgetown	54.7%	34.2%	19.9%	10.6%	16.5%	4.6%	5.9%	1.9%
Horry	58.2%	43.5%	29.2%	20.9%	19.4%	5.5%	3.1%	9.4%
Lee	54.1%	24.0%	27.0%	5.0%	7.3%	0.7%	6.4%	0.0%
Marion	60.4%	37.9%	31.9%	11.8%	16.5%	0.0%	2.1%	10.1%
Marlboro	52.3%	32.0%	20.3%	5.8%	15.0%	16.0%	2.1%	4.0%
Sumter	44.3%	37.7%	20.5%	14.7%	16.9%	3.1%	3.1%	2.4%
Williamsburg	50.5%	30.5%	25.8%	5.8%	15.0%	6.6%	1.4%	3.9%
State Highest	72.4%	55.1%	38.3%	30.2%	35.1%	21.4%	19.3%	17.4%
State Lowest	27.7%	14.0%	4.1%	4.1%	7.3%	0.0%	0.0%	0.0%
State Estimate^b	43.1%	38.2%	23.9%	16.2%	19.0%	4.7%	3.5%	6.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 1.4. Ever-Use and Current Use of Selected Tobacco Products among SC adults, by County^a in the DHEC Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Ever Use of Tobacco Products				Current Use of Tobacco Products			
	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes	Cigarettes	Cigars	Smokeless Tobacco	e-Cigarettes
Allendale	27.7%	14.0%	4.1%	26.4%	27.6%	7.8%	4.0%	17.4%
Bamberg	41.1%	25.9%	22.0%	20.7%	26.9%	5.8%	0.0%	2.0%
Beaufort	60.5%	45.7%	16.1%	14.9%	11.6%	4.3%	2.4%	7.0%
Berkeley	67.7%	37.8%	27.7%	16.9%	10.4%	3.4%	5.3%	7.4%
Calhoun	29.2%	28.3%	15.0%	5.4%	13.0%	2.1%	0.0%	0.0%
Charleston	61.3%	45.2%	21.7%	17.7%	16.8%	3.1%	0.7%	5.7%
Colleton	49.9%	34.0%	25.6%	30.2%	31.2%	6.6%	5.6%	9.7%
Dorchester	54.6%	37.8%	16.2%	14.6%	15.5%	5.3%	2.8%	5.9%
Hampton	35.9%	33.7%	33.1%	15.0%	20.0%	21.4%	12.3%	12.0%
Jasper	47.9%	55.1%	31.5%	17.2%	20.0%	10.3%	2.5%	3.8%
Orangeburg	50.6%	29.9%	13.4%	6.6%	13.6%	4.1%	2.1%	1.6%
State Highest	72.4%	55.1%	38.3%	30.2%	35.1%	21.4%	19.3%	17.4%
State Lowest	27.7%	14.0%	4.1%	4.1%	7.3%	0.0%	0.0%	0.0%
State Estimate^b	43.1%	38.2%	23.9%	16.2%	19.0%	4.7%	3.5%	6.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 2.1. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Secondhand Smoke Exposure				Smoking Allowed			
	Home	Vehicle	Workplace	Public Place	Home	Vehicle	Work indoor	Work outdoor
Aiken	8.8%	18.5%	18.2%	26.9%	13.5%	25.5%	4.7%	72.5%
Barnwell	15.5%	21.4%	20.8%	35.3%	20.6%	17.7%	0.0%	68.5%
Chester	28.2%	27.8%	15.5%	19.7%	35.5%	41.7%	11.1%	69.3%
Edgefield	6.8%	3.3%	24.1%	34.0%	10.7%	11.1%	8.5%	69.0%
Fairfield	1.6%	25.9%	19.2%	24.7%	32.9%	35.8%	5.8%	77.7%
Kershaw	27.8%	22.3%	25.5%	26.7%	28.2%	41.4%	0.0%	70.9%
Lancaster	10.3%	10.6%	27.7%	28.5%	14.0%	22.3%	6.3%	65.8%
Lexington	16.7%	11.9%	15.5%	20.4%	14.8%	27.6%	9.0%	73.2%
Newberry	9.1%	15.7%	13.6%	19.1%	20.0%	30.0%	4.0%	48.5%
Richland	8.3%	13.8%	24.7%	31.5%	14.4%	17.7%	3.5%	69.6%
Saluda	8.0%	16.9%	14.2%	24.1%	13.9%	24.1%	18.2%	63.3%
York	10.9%	15.4%	18.0%	26.2%	16.7%	23.7%	7.7%	64.8%
State Highest	33.6%	32.2%	47.9%	46.5%	35.5%	43.2%	47.5%	96.5%
State Lowest	1.6%	3.3%	12.5%	13.7%	2.5%	8.3%	0.0%	48.5%
State Estimate^b	10.4%	16.4%	20.2%	28.6%	15.7%	25.1%	7.1%	67.2%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 2.2. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County^a in the DHEC **Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.**

County	Secondhand Smoke Exposure				Smoking Allowed			
	Home	Vehicle	Workplace	Public Place	Home	Vehicle	Work indoor	Work outdoor
Abbeville	21.2%	10.9%	18.7%	18.8%	26.1%	24.4%	6.2%	51.7%
Anderson	9.3%	14.0%	22.3%	29.3%	14.6%	21.2%	5.7%	68.1%
Cherokee	24.0%	20.7%	34.7%	22.5%	30.0%	43.2%	14.1%	82.5%
Greenville	7.3%	13.7%	13.3%	29.9%	10.7%	18.6%	4.0%	58.4%
Greenwood	8.2%	20.3%	12.5%	19.2%	16.7%	28.5%	9.9%	65.1%
Laurens	14.9%	27.4%	17.7%	26.6%	20.2%	36.6%	7.2%	66.0%
McCormick	5.0%	19.1%	37.4%	21.4%	12.9%	22.0%	6.1%	63.9%
Oconee	7.1%	21.3%	20.0%	22.2%	9.8%	21.2%	6.9%	72.3%
Pickens	10.5%	25.2%	19.6%	33.7%	16.1%	26.6%	10.0%	68.6%
Spartanburg	10.8%	16.6%	13.8%	32.0%	16.5%	22.8%	6.6%	70.1%
Union	33.6%	16.2%	19.2%	36.8%	34.0%	36.6%	5.5%	58.0%
State Highest	33.6%	32.2%	47.9%	46.5%	35.5%	43.2%	47.5%	96.5%
State Lowest	1.6%	3.3%	12.5%	13.7%	2.5%	8.3%	0.0%	48.5%
State Estimate^b	10.4%	16.4%	20.2%	28.6%	15.7%	25.1%	7.1%	67.2%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 2.3. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Secondhand Smoke Exposure				Smoking Allowed			
	Home	Vehicle	Workplace	Public Place	Home	Vehicle	Work indoor	Work outdoor
Chesterfield	14.3%	19.5%	26.4%	31.1%	25.1%	26.3%	10.5%	61.3%
Clarendon	4.3%	16.6%	40.2%	32.5%	10.4%	23.6%	14.1%	72.2%
Darlington	6.7%	22.6%	22.3%	24.5%	19.1%	35.9%	19.2%	62.0%
Dillon	5.9%	25.0%	37.3%	14.3%	2.5%	11.1%	37.3%	79.4%
Florence	13.4%	19.9%	20.4%	27.8%	22.1%	36.8%	11.2%	63.3%
Georgetown	11.9%	16.4%	21.4%	30.4%	17.2%	23.8%	11.5%	69.7%
Horry	10.3%	21.2%	27.9%	30.8%	16.4%	31.3%	10.1%	70.9%
Lee	15.4%	14.4%	16.2%	28.5%	20.6%	38.3%	7.2%	77.7%
Marion	7.2%	8.9%	29.6%	42.9%	15.5%	28.1%	19.0%	64.3%
Marlboro	13.9%	18.4%	20.8%	29.9%	27.5%	33.0%	1.2%	58.0%
Sumter	9.6%	13.1%	19.0%	25.1%	16.4%	21.5%	6.3%	76.4%
Williamsburg	17.2%	21.7%	13.8%	40.9%	26.1%	32.2%	21.1%	64.5%
State Highest	33.6%	32.2%	47.9%	46.5%	35.5%	43.2%	47.5%	96.5%
State Lowest	1.6%	3.3%	12.5%	13.7%	2.5%	8.3%	0.0%	48.5%
State Estimate^b	10.4%	16.4%	20.2%	28.6%	15.7%	25.1%	7.1%	67.2%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 2.4. Smoking Rules and Secondhand Smoke Exposure at Various Locations among SC adults, by County^a in the DHEC Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Secondhand Smoke Exposure				Smoking Allowed			
	Home	Vehicle	Workplace	Public Place	Home	Vehicle	Work indoor	Work outdoor
Allendale	18.4%	17.3%	27.9%	28.5%	30.7%	34.6%	3.6%	75.6%
Bamberg	1.8%	25.9%	42.1%	46.5%	19.5%	36.1%	0.0%	96.5%
Beaufort	6.2%	14.9%	21.6%	29.6%	12.0%	23.6%	0.6%	57.8%
Berkeley	6.5%	13.7%	14.3%	29.7%	9.6%	21.2%	2.1%	77.4%
Calhoun	8.0%	8.0%	15.2%	26.9%	9.8%	8.3%	0.0%	69.6%
Charleston	7.8%	14.2%	18.0%	30.8%	13.4%	25.5%	7.1%	61.1%
Colleton	13.8%	26.3%	47.9%	29.6%	22.0%	32.5%	0.0%	81.1%
Dorchester	6.3%	10.7%	21.8%	28.8%	9.7%	24.1%	3.5%	64.8%
Hampton	16.9%	21.5%	43.1%	13.7%	19.5%	28.3%	47.5%	64.2%
Jasper	14.2%	32.2%	17.4%	18.9%	21.5%	35.5%	9.3%	71.9%
Orangeburg	11.5%	17.1%	19.1%	31.9%	19.2%	22.4%	9.0%	63.5%
State Highest	33.6%	32.2%	47.9%	46.5%	35.5%	43.2%	47.5%	96.5%
State Lowest	1.6%	3.3%	12.5%	13.7%	2.5%	8.3%	0.0%	48.5%
State Estimate^b	10.4%	16.4%	20.2%	28.6%	15.7%	25.1%	7.1%	67.2%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Direct estimation from the statewide ATS sample

Table 3.1. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Smoking Cessation Desire and Attempts				Smoking Cessation Help Received			
	Desire to quit	Attempts to quit	Quitline awareness	Quitline Use	Asked about smoking	Asked about desire to quit	Given advice to quit	Informed on resources
Aiken	66.2%	54.3%	40.2%	-- ^b	65.8%	54.0%	64.4%	71.6%
Barnwell	98.2%	72.9%	33.1%	--	65.6%	36.5%	67.2%	28.6%
Chester	79.7%	61.8%	42.9%	--	60.4%	66.8%	86.8%	62.0%
Edgefield	99.5%	93.3%	46.8%	--	64.1%	71.1%	74.0%	70.1%
Fairfield	97.8%	67.2%	46.1%	--	79.8%	63.8%	85.3%	71.2%
Kershaw	88.0%	84.6%	13.7%	--	78.5%	58.4%	68.7%	75.0%
Lancaster	77.4%	53.3%	19.5%	--	75.8%	90.0%	60.5%	43.0%
Lexington	78.8%	58.8%	39.8%	--	69.6%	59.7%	53.1%	24.8%
Newberry	58.8%	35.8%	25.1%	--	61.9%	64.4%	39.2%	46.2%
Richland	80.0%	85.1%	32.9%	--	71.3%	75.0%	49.9%	45.2%
Saluda	37.1%	88.7%	23.1%	--	75.2%	91.9%	41.1%	58.2%
York	75.3%	55.4%	24.2%	--	71.7%	58.0%	63.0%	48.6%
State Highest	99.7%	98.9%	70.3%	--	86.3%	92.7%	88.6%	93.2%
State Lowest	32.3%	35.8%	9.9%	--	43.9%	36.5%	24.7%	18.0%
State Estimate^c	73.2%	58.7%	32.3%	6.0%	70.1%	63.5%	53.4%	53.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Data not reliable

^c Direct estimation from the statewide ATS sample

Table 3.2. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Smoking Cessation Desire and Attempts				Smoking Cessation Help Received			
	Desire to quit	Attempts to quit	Quitline awareness	Quitline Use	Asked about smoking	Asked about desire to quit	Given advice to quit	Informed on resources
Abbeville	71.1%	43.1%	25.3%	-- ^b	73.0%	50.5%	59.9%	51.7%
Anderson	77.6%	53.4%	38.0%	--	64.7%	59.9%	52.1%	36.9%
Cherokee	80.9%	46.3%	65.9%	--	69.8%	40.6%	36.1%	38.5%
Greenville	71.8%	64.9%	20.1%	--	67.8%	59.5%	52.7%	57.8%
Greenwood	74.6%	43.6%	26.2%	--	73.6%	69.2%	27.1%	81.4%
Laurens	83.7%	56.4%	52.7%	--	72.1%	83.6%	75.7%	82.1%
McCormick	84.2%	98.9%	33.5%	--	79.6%	46.7%	34.0%	40.6%
Oconee	61.7%	48.6%	34.2%	--	79.9%	67.1%	58.6%	93.2%
Pickens	47.0%	36.1%	41.8%	--	76.5%	64.1%	24.7%	60.0%
Spartanburg	63.3%	64.4%	33.6%	--	67.3%	77.8%	57.9%	52.7%
Union	44.5%	43.7%	30.0%	--	71.0%	65.0%	54.4%	18.0%
State Highest	99.7%	98.9%	70.3%	--	86.3%	92.7%	88.6%	93.2%
State Lowest	32.3%	35.8%	9.9%	--	43.9%	36.5%	24.7%	18.0%
State Estimate^c	73.2%	58.7%	32.3%	6.0%	70.1%	63.5%	53.4%	53.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Data not reliable

^c Direct estimation from the statewide ATS sample

Table 3.3. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County^a in the DHEC **Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.**

County	Smoking Cessation Desire and Attempts				Smoking Cessation Help Received			
	Desire to quit	Attempts to quit	Quitline awareness	Quitline Use	Asked about smoking	Asked about desire to quit	Given advice to quit	Informed on resources
Chesterfield	79.3%	41.8%	19.4%	-- ^b	72.2%	71.2%	52.4%	40.5%
Clarendon	81.5%	55.6%	27.1%	--	73.4%	54.5%	40.6%	57.8%
Darlington	96.2%	48.5%	17.0%	--	70.9%	43.8%	88.6%	84.9%
Dillon	76.8%	53.0%	54.7%	--	43.9%	81.3%	53.5%	55.1%
Florence	80.0%	58.8%	39.1%	--	72.4%	58.9%	53.6%	57.5%
Georgetown	51.3%	49.4%	28.7%	--	69.1%	73.0%	49.0%	55.0%
Horry	67.9%	53.2%	24.9%	--	72.8%	53.5%	53.3%	46.2%
Lee	78.5%	62.3%	33.1%	--	71.2%	39.1%	61.3%	61.1%
Marion	66.3%	67.2%	61.3%	--	65.7%	41.0%	34.2%	57.8%
Marlboro	92.3%	65.6%	55.6%	--	80.6%	87.7%	79.8%	69.0%
Sumter	71.9%	52.8%	21.6%	--	66.2%	70.8%	42.9%	68.4%
Williamsburg	83.5%	42.2%	40.7%	--	61.8%	39.6%	47.7%	58.2%
State Highest	99.7%	98.9%	70.3%	--	86.3%	92.7%	88.6%	93.2%
State Lowest	32.3%	35.8%	9.9%	--	43.9%	36.5%	24.7%	18.0%
State Estimate^c	73.2%	58.7%	32.3%	6.0%	70.1%	63.5%	53.4%	53.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Data not reliable

^c Direct estimation from the statewide ATS sample

Table 3.4. Desire and attempts to quit smoking, Quitline awareness and receipt of smoking cessation help from health care providers, by County^a in the DHEC **Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.**

County	Smoking Cessation Desire and Attempts				Smoking Cessation Help Received			
	Desire to quit	Attempts to quit	Quitline awareness	Quitline Use	Asked about smoking	Asked about desire to quit	Given advice to quit	Informed on resources
Allendale	70.5%	56.5%	61.9%	-- ^b	70.9%	87.6%	51.1%	44.9%
Bamberg	65.4%	78.0%	39.9%	--	76.0%	45.8%	60.3%	57.2%
Beaufort	74.6%	62.6%	38.1%	--	69.8%	68.4%	56.9%	49.2%
Berkeley	78.2%	46.1%	28.6%	--	75.9%	74.4%	45.4%	50.4%
Calhoun	88.2%	84.3%	9.9%	--	68.5%	92.7%	55.8%	31.1%
Charleston	76.9%	50.9%	36.8%	--	68.2%	64.1%	51.7%	73.5%
Colleton	79.1%	46.5%	70.3%	--	59.8%	50.1%	32.8%	26.9%
Dorchester	49.8%	55.3%	13.4%	--	74.0%	43.7%	43.1%	30.8%
Hampton	99.7%	35.9%	54.8%	--	73.0%	69.5%	78.4%	90.2%
Jasper	32.3%	60.7%	23.3%	--	86.3%	77.1%	45.0%	61.0%
Orangeburg	78.3%	63.4%	36.8%	--	64.6%	49.2%	54.6%	31.6%
State Highest	99.7%	98.9%	70.3%	--	86.3%	92.7%	88.6%	93.2%
State Lowest	32.3%	35.8%	9.9%	--	43.9%	36.5%	24.7%	18.0%
State Estimate^c	73.2%	58.7%	32.3%	6.0%	70.1%	63.5%	53.4%	53.4%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b Data not reliable

^c Direct estimation from the statewide ATS sample

Table 4.1. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC Midlands Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Support for Tax Increase		Additional Cigarette Tax Favored - 3 Options ^b			Additional Cigarette Tax Favored - 2 Options ^b	
	on Cigarettes	on SLT	Up to 50 Cents	51 Cents to 2 Dollars	Over 2 Dollars	1 Dollar or Less	Over 1 Dollar
Aiken	75.9%	77.3%	22.1%	30.7%	47.6%	32.5%	67.5%
Barnwell	80.6%	84.4%	23.0%	34.3%	43.0%	34.4%	65.8%
Chester	66.2%	65.3%	31.4%	29.0%	39.5%	50.4%	49.8%
Edgefield	72.7%	73.5%	12.0%	31.3%	56.5%	31.8%	68.3%
Fairfield	61.0%	75.2%	33.5%	23.1%	42.1%	45.6%	53.9%
Kershaw	69.3%	76.2%	18.8%	24.2%	57.1%	30.9%	69.2%
Lancaster	73.1%	77.3%	12.7%	43.2%	43.9%	29.7%	70.2%
Lexington	71.3%	77.6%	13.2%	29.9%	56.8%	23.1%	76.9%
Newberry	69.6%	73.9%	9.9%	44.5%	46.2%	26.4%	73.7%
Richland	80.5%	80.7%	14.7%	30.1%	55.3%	27.9%	72.2%
Saluda	65.2%	73.2%	13.8%	31.4%	55.0%	28.6%	71.4%
York	74.3%	77.9%	17.9%	37.1%	45.1%	36.6%	63.4%
State Highest	87.6%	87.2%	35.0%	46.7%	76.9%	52.8%	81.3%
State Lowest	55.8%	60.3%	9.0%	11.3%	25.9%	18.6%	47.3%
State Estimate^c	72.9%	76.9%	16.4%	32.3%	51.2%	30.9%	69.0%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b County totals may not add up to 100.0% due to rounding

^c Direct estimation from the statewide ATS sample. Option totals may not add up to 100.0% due to rounding

Table 4.2. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC Upstate Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Support for Tax Increase		Additional Cigarette Tax Favored - 3 Options ^b			Additional Cigarette Tax Favored - 2 Options ^b	
	on Cigarettes	on SLT	Up to 50 Cents	51 Cents to 2 Dollars	Over 2 Dollars	1 Dollar or Less	Over 1 Dollar
Abbeville	87.6%	87.2%	24.8%	36.8%	38.0%	48.8%	51.2%
Anderson	78.6%	76.2%	27.5%	26.0%	46.7%	38.5%	61.5%
Cherokee	69.0%	67.0%	29.6%	28.5%	40.3%	47.7%	50.2%
Greenville	77.2%	80.5%	12.8%	38.9%	47.9%	32.7%	67.0%
Greenwood	77.8%	77.7%	32.3%	18.1%	50.4%	43.2%	56.7%
Laurens	80.2%	81.6%	24.4%	35.9%	39.3%	43.5%	56.5%
McCormick	80.3%	79.7%	25.4%	24.8%	49.6%	31.9%	68.1%
Oconee	76.6%	77.9%	17.5%	32.3%	50.1%	33.9%	66.2%
Pickens	78.7%	83.9%	13.7%	35.3%	51.4%	25.9%	74.0%
Spartanburg	76.9%	79.9%	11.5%	29.8%	58.3%	22.0%	77.8%
Union	68.7%	68.1%	16.0%	33.9%	50.9%	18.6%	81.3%
State Highest	87.6%	87.2%	35.0%	46.7%	76.9%	52.8%	81.3%
State Lowest	55.8%	60.3%	9.0%	11.3%	25.9%	18.6%	47.3%
State Estimate^c	72.9%	76.9%	16.4%	32.3%	51.2%	30.9%	69.0%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b County totals may not add up to 100.0% due to rounding

^c Direct estimation from the statewide ATS sample. Option totals may not add up to 100.0% due to rounding

Table 4.3. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC Pee Dee Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.

County	Support for Tax Increase		Additional Cigarette Tax Favored - 3 Options ^b			Additional Cigarette Tax Favored - 2 Options ^b	
	on Cigarettes	on SLT	Up to 50 Cents	51 Cents to 2 Dollars	Over 2 Dollars	1 Dollar or Less	Over 1 Dollar
Chesterfield	68.5%	70.3%	28.3%	46.1%	25.9%	44.2%	55.8%
Clarendon	73.7%	72.9%	22.0%	29.4%	49.1%	39.1%	61.3%
Darlington	60.7%	60.3%	11.5%	30.8%	56.1%	24.3%	74.0%
Dillon	84.4%	79.0%	35.0%	30.5%	35.1%	52.8%	47.3%
Florence	68.6%	72.3%	27.8%	35.3%	35.5%	49.4%	49.1%
Georgetown	76.7%	76.5%	14.5%	26.4%	59.2%	27.6%	72.4%
Horry	74.2%	75.7%	13.1%	36.9%	50.2%	27.9%	72.1%
Lee	70.3%	73.1%	9.9%	13.1%	76.9%	18.8%	81.2%
Marion	84.5%	78.8%	15.9%	11.3%	72.8%	20.8%	79.1%
Marlboro	66.9%	74.6%	9.0%	30.1%	60.9%	24.2%	75.6%
Sumter	76.3%	77.3%	21.7%	36.7%	41.5%	34.5%	65.6%
Williamsburg	73.9%	71.6%	32.4%	25.9%	41.4%	43.5%	56.6%
State Highest	87.6%	87.2%	35.0%	46.7%	76.9%	52.8%	81.3%
State Lowest	55.8%	60.3%	9.0%	11.3%	25.9%	18.6%	47.3%
State Estimate^c	72.9%	76.9%	16.4%	32.3%	51.2%	30.9%	69.0%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b County totals may not add up to 100.0% due to rounding

^c Direct estimation from the statewide ATS sample. Option totals may not add up to 100.0% due to rounding

Table 4.4. Support for Tax Increase on Cigarettes and Smokeless Tobacco--SLT, and Amount of Additional Cigarette Tax Favored, by County^a in the DHEC **Low Country Region - Estimates from the 2014-2015 SC Adult Tobacco Survey.**

County	Support for Tax Increase		Additional Cigarette Tax Favored - 3 Options ^b			Additional Cigarette Tax Favored - 2 Options ^b	
	on Cigarettes	on SLT	Up to 50 Cents	51 Cents to 2 Dollars	Over 2 Dollars	1 Dollar or Less	Over 1 Dollar
Allendale	66.9%	67.4%	26.3%	27.5%	45.6%	40.1%	60.0%
Bamberg	66.9%	64.6%	26.4%	23.1%	51.2%	37.7%	62.8%
Beaufort	73.0%	76.6%	11.0%	33.4%	55.7%	27.9%	72.0%
Berkeley	74.5%	68.9%	13.2%	31.5%	55.4%	31.2%	68.9%
Calhoun	55.8%	72.0%	15.7%	22.7%	61.2%	26.2%	73.7%
Charleston	78.0%	74.6%	9.4%	34.8%	55.8%	24.3%	75.6%
Colleton	70.2%	82.3%	28.5%	22.5%	49.5%	34.4%	65.6%
Dorchester	72.2%	75.8%	10.1%	27.6%	62.5%	23.4%	76.8%
Hampton	78.3%	79.9%	14.6%	46.7%	38.3%	20.7%	79.3%
Jasper	79.7%	80.7%	11.7%	28.9%	59.9%	27.9%	72.1%
Orangeburg	79.9%	82.4%	21.4%	22.7%	55.9%	32.2%	67.8%
State Highest	87.6%	87.2%	35.0%	46.7%	76.9%	52.8%	81.3%
State Lowest	55.8%	60.3%	9.0%	11.3%	25.9%	18.6%	47.3%
State Estimate^c	72.9%	76.9%	16.4%	32.3%	51.2%	30.9%	69.0%

^a Estimation using a spatial logistic mixed model; confidence intervals were estimated using bootstrap re-sampling procedures

^b County totals may not add up to 100.0% due to rounding

^c Direct estimation from the statewide ATS sample. Option totals may not add up to 100.0% due to rounding